


Created by
QA Engineer



**New Zealand
Tube Mills**

Technical Information



Page No:
1 of 3

Revision Date
19-Jun-09

No
02

Approved by:
QA Engineer

NZTM-Q30B1 - Round Tube Bundle Size & Weight for Mild Steel , High Strength , Semi-Bright & 4D


Density of steel = 7.85						6.1 Metre Length		5.5 Metre Length	
Tube Size Nominal (mm)	d -Tube Size Actual (mm)	t - Wall Thickness (mm)	Kilo's / Metre	Lengths / Mini Bundle	Lengths / Master Bundle	Kilo's / Mini Bundle	Kilo's / Master Bundle	Kilo's / Mini Bundle	Kilo's / Master Bundle
9.5	9.53	1.0	0.2104	50	150	64	192	58	174
	9.53	1.2	0.2465	50	150	75	226	68	203
	9.53	1.4	0.2807	50	150	86	257	77	232
	9.53	1.6	0.3129	50	150	95	286	86	258
11.1 *	11.11	1.0	0.2493	50	150	76	228	69	206
	11.11	1.2	0.2933	50	150	89	268	81	242
	11.11	1.4	0.3352	50	150	102	307	92	277
	11.11	1.6	0.3752	50	150	114	343	103	310
12.7	12.7	1.0	0.2885	50	100	88	176	79	159
	12.7	1.2	0.3403	50	100	104	208	94	187
	12.7	1.4	0.3901	50	100	119	238	107	215
	12.7	1.6	0.4380	50	100	134	267	120	241
	12.7	2.0	0.5278	50	100	161	322	145	290
14.3 *	14.28	1.0	0.3275	50	100	100	200	90	180
	14.28	1.2	0.3871	50	100	118	236	106	213
	14.28	1.4	0.4447	50	100	136	271	122	245
	14.28	1.6	0.5003	50	100	153	305	138	275
16	15.88	1.0	0.3670	50	100	112	224	101	202
	15.88	1.2	0.4344	50	100	133	265	119	239
	15.88	1.4	0.4999	50	100	152	305	137	275
	15.88	1.6	0.5635	50	100	172	344	155	310
	15.88	2.0	0.6846	50	100	209	418	188	377
19	19.05	1.0	0.4451	50	100	136	272	122	245
	19.05	1.2	0.5282	50	100	161	322	145	291
	19.05	1.4	0.6094	50	100	186	372	168	335
	19.05	1.6	0.6885	50	100	210	420	189	379
	19.05	2.0	0.8410	50	100	256	513	231	463
22.2	22.22	1.0	0.5233	50	100	160	319	144	288
	22.22	1.2	0.6221	50	100	190	379	171	342
	22.22	1.4	0.7188	50	100	219	438	198	395
	22.22	1.6	0.8136	50	100	248	496	224	447
	22.22	2.0	0.9973	50	100	304	608	274	549
25.4	25.4	1.0	0.6017	50	100	184	367	165	331
	25.4	1.2	0.7162	50	100	218	437	197	394
	25.4	1.4	0.8286	50	100	253	505	228	456
	25.4	1.6	0.9391	50	100	286	573	258	517
	25.4	2.0	1.1542	50	100	352	704	317	635
	25.4	2.5	1.4119	50	100	431	861	388	777
28.6	28.58	1.0	0.6802	25	50	104	207	94	187
	28.58	1.2	0.8103	25	50	124	247	111	223
	28.58	1.4	0.9384	25	50	143	286	129	258
	28.58	1.6	1.0646	25	50	162	325	146	293
	28.58	2.0	1.3110	25	50	200	400	180	361

Created by
QA Engineer



**New Zealand
Tube Mills**

Technical Information



Page No:
2 of 3

Revision Date
19-Jun-09

No
02

Approved by:
QA Engineer

NZTM-Q30B1 - Round Tube Bundle Size & Weight for Mild Steel , High Strength , Semi-Bright & 4D

Density of steel = 7.85

6.1 Metre Length

5.5 Metre Length


Tube Size Nominal (mm)	d -Tube Size Actual (mm)	t - Wall Thickness (mm)	Kilo's / Metre	Lengths / Mini Bundle	Lengths / Master Bundle	Kilo's / Mini Bundle	Kilo's / Master Bundle	Kilo's / Mini Bundle	Kilo's / Master Bundle
31.8	31.75	1.2	0.9041	25	50	138	276	124	249
	31.75	1.4	1.0479	25	50	160	320	144	288
	31.75	1.6	1.1897	25	50	181	363	164	327
	31.75	2.0	1.4674	25	50	224	448	202	404
	31.75	2.5	1.8034	25	50	275	550	248	496
35	34.92	1.2	0.9979	25	50	152	304	137	274
	34.92	1.4	1.1573	25	50	176	353	159	318
	34.92	1.6	1.3148	25	50	200	401	181	362
	34.92	2.0	1.6237	25	50	248	495	223	447
	34.92	2.5	1.9988	25	50	305	610	275	550
38	38.1	1.2	1.0920	25	50	167	333	150	300
	38.1	1.4	1.2671	25	50	193	386	174	348
	38.1	1.6	1.4402	25	50	220	439	198	396
	38.1	2.0	1.7806	25	50	272	543	245	490
	38.1	2.5	2.1949	25	50	335	669	302	604
	38.1	3.0	2.5969	25	50	396	792	357	714
41.3	41.28	1.2	1.1861	25	50	181	362	163	326
	41.28	1.4	1.3769	25	50	210	420	189	379
	41.28	1.6	1.5657	25	50	239	478	215	431
	41.28	2.0	1.9374	25	50	295	591	266	533
	41.28	2.5	2.3909	25	50	365	729	329	658
	41.28	3.0	2.8321	25	40	432	691	389	623
44.5	44.45	1.2	1.2799	25	50	195	390	176	352
	44.45	1.4	1.4863	25	50	227	453	204	409
	44.45	1.6	1.6908	25	50	258	516	232	465
	44.45	2.0	2.0938	25	50	319	639	288	576
	44.45	2.5	2.5864	25	50	394	789	356	711
	44.45	3.0	3.0667	25	40	468	748	422	675
47.6	47.62	1.2	1.3737	25	50	209	419	189	378
	47.62	1.4	1.5958	25	50	243	487	219	439
	47.62	1.6	1.8159	25	50	277	554	250	499
	47.62	2.0	2.2501	25	50	343	686	309	619
	47.62	2.5	2.7818	25	50	424	848	382	765
	47.62	3.0	3.3012	25	40	503	805	454	726
51	50.8	1.2	1.4679	20	40	179	358	161	323
	50.8	1.4	1.7056	20	40	208	416	188	375
	50.8	1.6	1.9414	20	40	237	474	214	427
	50.8	2.0	2.4070	20	40	294	587	265	530
	50.8	2.5	2.9779	20	40	363	727	328	655
	50.8	3.0	3.5365	20	30	431	647	389	584
54	53.98	1.2	1.5620	20	40	191	381	172	344
	53.98	1.4	1.8154	20	40	221	443	200	399
	53.98	1.6	2.0668	20	40	252	504	227	455
	53.98	2.0	2.5638	20	40	313	626	282	564
	53.98	2.5	3.1739	20	40	387	774	349	698

Created by
QA Engineer



**New Zealand
Tube Mills**

Technical Information



Page No:
3 of 3

Revision Date
19-Jun-09

No
02

Approved by:
QA Engineer

NZTM-Q30B1 - Round Tube Bundle Size & Weight for Mild Steel , High Strength , Semi-Bright & 4D

Density of steel = 7.85						6.1 Metre Length		5.5 Metre Length	
Tube Size Nominal (mm)	d -Tube Size Actual (mm)	t - Wall Thickness (mm)	Kilo's / Metre	Lengths / Mini Bundle	Lengths / Master Bundle	Kilo's / Mini Bundle	Kilo's / Master Bundle	Kilo's / Mini Bundle	Kilo's / Master Bundle
57	57.15	1.2	1.6558	15	30	152	303	137	273
	57.15	1.4	1.9248	15	30	176	352	159	318
	57.15	1.6	2.1919	15	30	201	401	181	362
	57.15	2.0	2.7202	15	30	249	498	224	449
	57.15	2.5	3.3694	15	30	308	617	278	556
	57.15	3.0	4.0063	15	30	367	733	331	661
60.3	60.32	1.2	1.7496	15	30	160	320	144	289
	60.32	1.4	2.0343	15	30	186	372	168	336
	60.32	1.6	2.3170	15	30	212	424	191	382
	60.32	2.0	2.8765	15	30	263	526	237	475
	60.32	2.5	3.5648	15	30	326	652	294	588
	60.32	3.0	4.2408	15	30	388	776	350	700
63.5	63.5	1.2	1.8437	12	25	135	281	122	254
	63.5	1.4	2.1441	12	25	157	327	142	295
	63.5	1.6	2.4425	12	25	179	372	161	336
	63.5	2.0	3.0334	12	25	222	463	200	417
	63.5	2.5	3.7609	12	25	275	574	248	517
	63.5	3.0	4.4761	12	25	328	683	295	615
70	69.85	1.2	2.0316	12	25	149	310	134	279
	69.85	1.4	2.3633	12	25	173	360	156	325
	69.85	1.6	2.6930	12	25	197	411	178	370
	69.85	2.0	3.3466	12	25	245	510	221	460
	69.85	2.5	4.1524	12	25	304	633	274	571
	69.85	3.0	4.9459	12	25	362	754	326	680
76.2	76.2	1.2	2.2195	10	20	135	271	122	244
	76.2	1.6	2.9436	10	20	180	359	162	324
	76.2	2.0	3.6598	10	20	223	446	201	403
	76.2	2.5	4.5439	10	20	277	554	250	500
	76.2	3.0	5.4157	10	20	330	661	298	596
88.9	88.9	1.6	3.4447	5	10	105	210	95	189
	88.9	2.0	4.2862	5	10	131	261	118	236
	88.9	2.5	5.3269	5	10	162	325	146	293
101.6	101.6	1.6	3.9458	5	10	120	241	109	217
	101.6	2.0	4.9126	5	10	150	300	135	270

* Contact NZTM Sales for further information regarding order *